

## REPORT DOCUMENTATION PAGE

Form Approved  
OMB No. 0704-0188

②

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

1. AGENCY USE ONLY (Leave blank)		2. REPORT DATE		3. REPORT TYPE AND DATES COVERED Final 15 Mar 86 - 15 Aug 89	
4. TITLE AND SUBTITLE Chain Propagation/Step Propagation Polymerization. Regular Thermoplastic Elastomers				5. FUNDING NUMBERS  DAAL03-86-K-0050	
6. AUTHOR(S)  K. B. Wagener				7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)  University of Florida Gainesville, FL 32611-2046	
8. PERFORMING ORGANIZATION REPORT NUMBER				9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) U. S. Army Research Office P. O. Box 12211 Research Triangle Park, NC 27709-2211	
10. SPONSORING/MONITORING AGENCY REPORT NUMBER  ARO 23396.16-CH				11. SUPPLEMENTARY NOTES The view, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy, or decision, unless so designated by other documentation.	
12a. DISTRIBUTION/AVAILABILITY STATEMENT  Approved for public release; distribution unlimited.				12b. DISTRIBUTION CODE DTC ELECTE MAR 19 1986 S G D	
13. ABSTRACT (Maximum 200 words)  This research has produced a new polymer synthesis technique for generating well defined segmented thermoplastic elastomers. Chain propagation using ring opening chemistry has been coupled with step propagation techniques to create solvent resistant segmented elastomers, wherein each segment possesses a narrow molecular weight distribution.  (Cont'd on reverse side)					
14. SUBJECT TERMS Polymers, Polymer Synthesis, Elastomers, Copolymers, Siloxane Copolymers				15. NUMBER OF PAGES 2	
16. PRICE CODE				17. SECURITY CLASSIFICATION OF REPORT UNCLASSIFIED	
18. SECURITY CLASSIFICATION OF THIS PAGE UNCLASSIFIED		19. SECURITY CLASSIFICATION OF ABSTRACT UNCLASSIFIED		20. LIMITATION OF ABSTRACT UL	


AD-A232 356


MAR 19 1986

Model telechelomers of these segmented copolymers were synthesized, fully characterized, then examined by differential scanning calorimetry to quantify micro-phase separation. This information led to the first quantitative data ever presented regarding segment lengths needed for perfect phase separation.

Based on these model studies, segmented copolymers were synthesized by first creating these well defined telechelomers, followed by step polymerization using alanine as a mediator for this chemistry. This was the first report ever using alanine in this regard.

Further, another class of solvent resistant elastomers was made using siloxane copolymers as the initiator for graft ring opening polymerization. These elastomers have the greatest potential of all the polymers made thus far.

Accession For	
NTIS GRA&I	<input checked="" type="checkbox"/>
DTIC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
By	
Distribution/	
Availability Codes	
Dist	Avail and/or Special
A-1	



CHAIN PROPAGATION/STEP PROPAGATION POLYMERIZATION.  
REGULAR THERMOPLASTIC ELASTOMERS

FINAL REPORT

K. B. Wagener

1/15/91

Contract #DAAL03-86-K-0050

Department of Chemistry  
University of Florida  
Gainesville, FL 32611-2046

Approved for public release; distribution unlimited.

## SUMMARY AND CONCLUSIONS:

This research has produced a new polymer synthesis technique for generating well defined segmented thermoplastic elastomers. Chain propagation using ring opening chemistry has been coupled with step propagation techniques to create solvent resistant segmented elastomers, wherein each segment possesses a narrow molecular weight distribution.

Model telechelomers of these segmented copolymers were synthesized, fully characterized, then examined by differential scanning calorimetry to quantify micro-phase separation. This information led to the first quantitative data ever presented regarding segment lengths needed for perfect phase separation.

Based on these model studies, segmented copolymers were synthesized by first creating these well defined telechelomers, followed by step polymerization using alanine as a mediator for this chemistry. This was the first report ever using alanine in this regard.

Further, another class of solvent resistant elastomers was made using siloxane copolymers as the initiator for graft ring opening polymerization. These elastomers have the greatest potential of all the polymers made thus far.

The research continues with a new contract. Included in this new investigation are studies of these polymers as barriers to gas diffusion. Chemical protection is the application in mind.